

## Author index to volume 199

Alain, V., see Blanchard-Desce, M.	199 (1995) 253
Albrecht, U. and H. Bässler, Efficiency of charge recombination in organic light emitting	
diodes	199 (1995) 207
Almlöf, J., see Reza Ahmadi, G.	199 (1995) 33
Ando, K., see Ishii, K.	199 (1995) 245
Azriel, V.M., L.Y. Rusin and M.B. Sevryuk, A hard-sphere model for the reactions of two	
diatomic molecules with ionic bond	199 (1995) 195
Baňacký, P., see Szőcs, V.	199 (1995) 1
Barbara, P.F., C. von Borczyskowski, R. Casalegno, A. Corval, C. Kryschi, Y. Romanowski and H.P. Trommsdorff, Proton tunnelling reactions in pentacene doped benzoic	
acid crystals	199 (1995) 285
Barzoukas, M., see Blanchard-Desce, M.	199 (1995) 253
Bässler, H., see Albrecht, U.	199 (1995) 207
Becucci, M., see Kerstel, E.R.Th.	199 (1995) 263
Blanchard-Desce, M., C. Runser, A. Fort, M. Barzoukas, JM. Lehn, V. Bloy and V.	
Alain, Large quadratic hyperpolarizabilities with donor-acceptor polyenes functional-	
ized with strong donors. Comparison with donor-acceptor diphenylpolyenes	199 (1995) 253
Bloy, V., see Blanchard-Desce, M.	199 (1995) 253
Bruna, P.J., see Mawhinney, R.C.	199 (1995) 163
Casalegno, R., see Barbara, P.F.	199 (1995) 285
Castellucci, E., see Kerstel, E.R.Th.	199 (1995) 263
Corval, A., see Barbara, P.F.	199 (1995) 285
Dargelos, A., see Habas, Mp.	199 (1995) 177
Fahr, A., A.K. Nayak and R.E. Huie, Temperature dependence of the ultraviolet absorption	
cross section of CF <sub>3</sub> I	199 (1995) 275
Fort, A., see Blanchard-Desce, M.	199 (1995) 253
Fourré, I. and M. Raoult, Vibrational structure of the Ar-NO <sup>+</sup> van der Waals cation	199 (1995) 215
Frank, I., S. Grimme, M. von Arnim and S.D. Peyerimhoff, The solvent shift in the	
$n \to \pi^*$ excitation of CH <sub>2</sub> O· $n$ H <sub>2</sub> O: An MRD-CI investigation using effective potentials for the representation of the vector melacules	199 (1995) 145
tials for the representation of the water molecules	199 (1995) 143
Furuya, K., see Yonekura, N.	199 (1993) 313
Grein, F., see Mawhinney, R.C.	199 (1995) 163
Grimme, S., see Frank, I.	199 (1995) 145

Heles Mr. and A. Dergeles, Ab initio CI colculations of electronic and vibrational	
Habas, Mp. and A. Dargelos, Ab initio CI calculations of electronic and vibrational spectra of diazomethane	199 (1995) 177
Heinrich, P. and F. Stuhl, Electronic quenching of $CH(A^2\Delta)$ and $NH(A^3\Pi)$ between 300	177 (1770) 111
and 950 K	199 (1995) 105
Heinrich, P. and F. Stuhl, Temperature dependent quenching of CH(A <sup>2</sup> Δ), NH(A <sup>3</sup> Π),	
NH( $c^{1}\Pi$ ), and PH( $A^{3}\Pi$ ) by H <sub>2</sub>	199 (1995) 297
Huie, R.E., see Fahr, A.	199 (1995) 275
Illas, F., see Pacchioni, G.	199 (1995) 155
Isakov, S.V., N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev, An exactly solvable model of	
the dipole-dipole relaxation of the electron spins of micellized radical pairs	199 (1995) 119
Ishii, K., H. Nakayama, M. Kawahara, K. Koyama, K. Ando and J. Yokoyama, Raman	
spectra and relaxation in amorphous naphthalene	199 (1995) 245
Johr, T., see Werncke, W.	199 (1995) 65
Jüpner, HJ., see Werncke, W.	199 (1995) 65
Kawahara, M., see Ishii, K.	199 (1995) 245
Kerstel, E.R.Th., M. Becucci, G. Pietraperzia and E. Castellucci, High-resolution absorp-	177 (1770) 210
tion, excitation, and microwave-UV double resonance spectroscopy on a molecular	
beam: S <sub>1</sub> aniline	199 (1995) 263
Koyama, K., see Ishii, K.	199 (1995) 245
Kryschi, C., see Barbara, P.F.	199 (1995) 285
Kuntz, P.J., I. Paidarová and R. Polák, Theoretical charge-transfer cross-sections for $H^+ + HCl(X^{-1}\Sigma^+) \rightarrow H(^2S_g) + HCL^+(A^{-2}\Sigma^+)$ from a diatomics-in-molecules effective	
Hamiltonian	199 (1995) 53
Lau, A., see Werncke, W.	199 (1995) 65
Lehn, JM., see Blanchard-Desce, M.	199 (1995) 253
López, M.R., see Martínez, E.	199 (1995) 305
Lukzen, N.N., see Isakov, S.V.	199 (1995) 119
Martínez, E., M.R. López, A. Notario and F. Poblete, The A(0+)-X(0+) transition of BiBr:	
radiative lifetimes of the A state	199 (1995) 305
Mawhinney, R.C., P.J. Bruna and F. Grein, An ab initio investigation of the infrared and	
visible-UV spectra of BN+, and photoionization spectrum of BN	199 (1995) 163
Ming, L., T.D. Sewell and S. Nordholm, A simulation study of energy transfer in methyl	
isocyanide-inert gas collisions	199 (1995) 83
Morozov, V.A., see Isakov, S.V.	199 (1995) 119
Nakashima, K., see Yonekura, N.	199 (1995) 313
Nakayama, H., see Ishii, K.	199 (1995) 245
Nayak, A.K., see Fahr, A.	199 (1995) 275
Nonella, M. and P. Tavan, An unscaled quantum mechanical harmonic force field for	
p-benzoquinone	199 (1995) 19
Nordholm, S., see Ming, L.	199 (1995) 83
Notario, A., see Martínez, E.	199 (1995) 305
Ogawa, T., see Yonekura, N.	199 (1995) 313

Pacchioni, G. and F. Illas, Does the electronegativity scale apply to ionic crystals as to	
molecules? A theoretical study of the bonding character in molecular and crystalline	
alkaline-earth oxides based on dipole moments	199 (1995) 155
Paidarová, I., see Kuntz, P.J.	199 (1995) 53
Parthiban, S., B.N. Raghunandan and R. Sumathi, Ab initio study of the molecular structure and vibrational spectra of dichlorine hexoxide and its significance to strato-	
spheric ozone depletion	199 (1995) 183
Peyerimhoff, S.D., see Frank, I.	199 (1995) 145
Pfeiffer, M., see Werncke, W.	199 (1995) 65
Pietraperzia, G., see Kerstel, E.R.Th.	199 (1995) 263
Poblete, F., see Martínez, E.	199 (1995) 305
Polák, R., see Kuntz, P.J.	199 (1995) 53
Raghunandan, B.N., see Parthiban, S.	199 (1995) 183
Raoult, M., see Fourré, I.	199 (1995) 215
Reineker, P., see Szőcs, V.	199 (1995) 1
Reza Ahmadi, G., J. Almlöf and I. Røeggen, The interatomic potential for the $X^{-1}\Sigma^{+}$ state	
of ArNa <sup>+</sup> , NeNa <sup>+</sup> and HeNa <sup>+</sup>	199 (1995) 33
Rode, B.M., see Vizoso, S.	199 (1995) 129
Røeggen, I., see Reza Ahmadi, G.	199 (1995) 33
Romanowski, Y., see Barbara, P.F.	199 (1995) 285
Runser, C., see Blanchard-Desce, M.	199 (1995) 253
Rusin, L.Y., see Azriel, V.M.	199 (1995) 195
Sagarik, K. and E. Spohr, Statistical mechanical simulations on properties of liquid	
pyridine	199 (1995) 73
Sagdeev, R.Z., see Isakov, S.V.	199 (1995) 119
Schriver, A., see Schriver-Mazzuoli, L.	199 (1995) 227
Schriver-Mazzuoli, L., A. Schriver and M. Wierzejewska-Hnat, Fourier transform infrared	
study of sulfur dioxide dimer. II. Argon matrix	199 (1995) 227
Sevryuk, M.B., see Azriel, V.M.	199 (1995) 195
Sewell, T.D., see Ming, L.	199 (1995) 83
Spohr, E., see Sagarik, K.	199 (1995) 73
Stuhl, F., see Heinrich, P.	199 (1995) 105
Stuhl, F., see Heinrich, P.	199 (1995) 297
Sumathi, R., see Parthiban, S.	199 (1995) 183
Szőcs, V., P. Baňacký and P. Reineker, Effects of a quantum heat bath on the dynamics of	
a nonlinear subsystem: reduced density matrix approach	199 (1995) 1
Tavan, P., see Nonella, M.	199 (1995) 19
Trommsdorff, H.P., see Barbara, P.F.	199 (1995) 285
Vizoso, S. and B.M. Rode, Na <sup>+</sup> in liquid hydroxylamine: pair potential function from ab initio calculations and Monte Carlo computer simulation of a 0.36 M NaCl solution	
(2 NaC1/200 NH <sub>2</sub> OH)	199 (1995) 129
Von Arnim, M., see Frank, I.	199 (1995) 145
Von Borczyskowski, C., see Barbara, P.F.	199 (1995) 285

Werncke, W., M. Pfeiffer, T. Johr, A. Lau and HJ. Jüpner, Electronic and Raman-type	
nonlinearities of thin films of oligomeric paraphenylene vinylenes	199 (1995) 65
Wierzejewska-Hnat, M., see Schriver-Mazzuoli, L.	199 (1995) 227
Yokoyama, J., see Ishii, K.	199 (1995) 245
Yonekura, N., K. Furuya, K. Nakashima and T. Ogawa, Fano plot of the Paschen line of	
the excited hydrogen atom $(n = 4)$ produced in e-H <sub>2</sub> collisions	199 (1995) 313



# Subject index to volume 199

## Methods

#### **Theoretical**

Coupling schemes and perturbative treatments  An exactly solvable model of the dipole-dipole relaxation of the electron spins of micellized radical pairs, S.V. Isakov, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev	199 (1995) 119
Transport quantum mechanics  Effects of a quantum heat bath on the dynamics of a nonlinear subsystem: reduced density	
matrix approach, V. Szőcs, P. Baňacký and P. Reineker	199 (1995) 1
Equilibrium statistical mechanics	
Na <sup>+</sup> in liquid hydroxylamine: pair potential function from ab initio calculations and Monte Carlo computer simulation of a 0.36 M NaCl solution (2 NaCl/200 NH <sub>2</sub> OH), S. Vizoso	100 (1005) 120
and B.M. Rode	199 (1995) 129
Non-equilibrium thermodynamic and hydrodynamic theories	
Effects of a quantum heat bath on the dynamics of a nonlinear subsystem: reduced density matrix approach, V. Szőcs, P. Baňacký and P. Reineker	199 (1995) 1
Ab initio schemes for stationary properties	
An unscaled quantum mechanical harmonic force field for p-benzoquinone, M. Nonella and P. Tavan	199 (1995) 19
The interatomic potential for the X <sup>1</sup> Σ <sup>+</sup> state of ArNa <sup>+</sup> , NeNa <sup>+</sup> and HeNa <sup>+</sup> , G. Reza	100 (1005) 22
Ahmadi, J. Almlöf and I. Røeggen Na <sup>+</sup> in liquid hydroxylamine: pair potential function from ab initio calculations and Monte	199 (1995) 33
Carlo computer simulation of a 0.36 M NaCl solution (2 NaCl/200 NH <sub>2</sub> OH), S. Vizoso	
and B.M. Rode	199 (1995) 129
The solvent shift in the $n \to \pi^*$ excitation of $CH_2O \cdot nH_2O$ : An MRD-CI investigation using effective potentials for the representation of the water molecules, I. Frank, S.	
Grimme, M. von Arnim and S.D. Peyerimhoff	199 (1995) 145
Does the electronegativity scale apply to ionic crystals as to molecules? A theoretical study of the bonding character in molecular and crystalline alkaline-earth oxides based on	
dipole moments, G. Pacchioni and F. Illas	199 (1995) 155

An ab initia investigation of the informal and visible TIV anature of DNF and about initial	
An ab initio investigation of the infrared and visible—UV spectra of BN <sup>+</sup> , and photoionization spectrum of BN, R.C. Mawhinney, P.J. Bruna and F. Grein  Ab initio CI calculations of electronic and vibrational spectra of diazomethane, Mp.	199 (1995) 163
Habas and A. Dargelos  Ab initio study of the molecular structure and vibrational spectra of dichlorine hexoxide	199 (1995) 177
and its significance to stratospheric ozone depletion, S. Parthiban, B.N. Raghunandan and R. Sumathi	199 (1995) 183
Computational and simulation methods	
An unscaled quantum mechanical harmonic force field for p-benzoquinone, M. Nonella	
and P. Tavan  Theoretical charge-transfer cross-sections for $H^+ + HCl(X^{-1}\Sigma^+) \rightarrow H(^2S_g) + HCL^+$ (A $^2\Sigma^+$ ) from a diatomics-in-molecules effective Hamiltonian, P.J. Kuntz, I. Paidarová	199 (1995) 19
and R. Polák	199 (1995) 53
Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene	()
vinylenes, W. Werncke, M. Pfeiffer, T. Johr, A. Lau and HJ. Jüpner	199 (1995) 65
Statistical mechanical simulations on properties of liquid pyridine, K. Sagarik and E. Spohr An exactly solvable model of the dipole-dipole relaxation of the electron spins of	199 (1995) 73
micellized radical pairs, S.V. Isakov, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev	199 (1995) 119
Na <sup>+</sup> in liquid hydroxylamine: pair potential function from ab initio calculations and Monte Carlo computer simulation of a 0.36 M NaCl solution (2 NaCl/200 NH <sub>2</sub> OH), S. Vizoso	.,, (,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
and B.M. Rode	199 (1995) 129
A hard-sphere model for the reactions of two diatomic molecules with ionic bond, V.M.	
Azriel, L.Y. Rusin and M.B. Sevryuk	199 (1995) 195
Efficiency of charge recombination in organic light emitting diodes, U. Albrecht and H. Bässler	199 (1995) 207
Molecular dynamics and scattering theory	
Theoretical charge-transfer cross-sections for $H^+ + HCl(X^{-1}\Sigma^+) \rightarrow H(^2S_g) + HCL^+$ (A $^2\Sigma^+$ ) from a diatomics-in-molecules effective Hamiltonian, P.J. Kuntz, I. Paidarová	
and R. Polák	199 (1995) 53
A simulation study of energy transfer in methyl isocyanide-inert gas collisions, L. Ming,	
T.D. Sewell and S. Nordholm	199 (1995) 83
A hard-sphere model for the reactions of two diatomic molecules with ionic bond, V.M. Azriel, L.Y. Rusin and M.B. Sevryuk	199 (1995) 195
Vibrational structure of the Ar-NO <sup>+</sup> van der Waals cation, I. Fourré and M. Raoult	199 (1995) 215
Experimental	177 (1773) 213
2. per michai	
Infrared spectroscopy	
Fourier transform infrared study of sulfur dioxide dimer. II. Argon matrix, L. Schriver-	
Mazzuoli, A. Schriver and M. Wierzejewska-Hnat	199 (1995) 227
Raman spectroscopy	
Raman spectro and relaxation in amorphous naphthalene, K. Ishii, H. Nakayama, M.	
Kawahara, K. Koyama, K. Ando and J. Yokoyama	199 (1995) 245

Visible and UV spectroscopy	
Large quadratic hyperpolarizabilities with donor-acceptor polyenes functionalized with strong donors. Comparison with donor-acceptor diphenylpolyenes, M. Blanchard-Desce, C. Runser, A. Fort, M. Barzoukas, JM. Lehn, V. Bloy and V. Alain	100 (1005) 252
High-resolution absorption, excitation, and microwave-UV double resonance spectroscopy on a molecular beam: S <sub>1</sub> aniline, E.R.Th. Kerstel, M. Becucci, G. Pietraperzia and E.	199 (1995) 253
Castellucci Temperature dependence of the ultraviolet absorption cross section of CF <sub>3</sub> I, A. Fahr, A.K. Nayak and R.E. Huie	199 (1995) 263 199 (1995) 275
Proton tunnelling reactions in pentacene doped benzoic acid crystals, P.F. Barbara, C. von Borczyskowski, R. Casalegno, A. Corval, C. Kryschi, Y. Romanowski and H.P.	
Trommsdorff	199 (1995) 285
Fluorescence spectroscopy Electronic quenching of $CH(A^2\Delta)$ and $NH(A^3\Pi)$ between 300 and 950 K, P. Heinrich and	
F. Stuhl Temperature dependent quenching of $CH(A^2\Delta)$ , $NH(A^3\Pi)$ , $NH(c^1\Pi)$ , and $PH(A^3\Pi)$ by	199 (1995) 105
H <sub>2</sub> , P. Heinrich and F. Stuhl	199 (1995) 297
The A(0 <sup>+</sup> )-X(0 <sup>+</sup> ) transition of BiBr: radiative lifetimes of the A state, E. Martínez, M.R. López, A. Notario and F. Poblete	199 (1995) 305
Electron impact spectroscopy Fano plot of the Paschen line of the excited hydrogen atom $(n = 4)$ produced in $e-H_2$ collisions, N. Yonekura, K. Furuya, K. Nakashima and T. Ogawa	199 (1995) 313
Laser methods	
Electronic quenching of CH( $A^2\Delta$ ) and NH( $A^3\Pi$ ) between 300 and 950 K, P. Heinrich and F. Stuhl	199 (1995) 105
Large quadratic hyperpolarizabilities with donor-acceptor polyenes functionalized with strong donors. Comparison with donor-acceptor diphenylpolyenes, M. Blanchard-Desce, C. Runser, A. Fort, M. Barzoukas, JM. Lehn, V. Bloy and V. Alain	199 (1995) 253
Temperature dependent quenching of CH(A <sup>2</sup> $\Delta$ ), NH(A <sup>3</sup> $\Pi$ ), NH(c <sup>1</sup> $\Pi$ ), and PH(A <sup>3</sup> $\Pi$ ) by H <sub>2</sub> , P. Heinrich and F. Stuhl	199 (1995) 297
Non-linear optical spectroscopy	
Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene vinylenes, W. Werncke, M. Pfeiffer, T. Johr, A. Lau and HJ. Jüpner	199 (1995) 65
Atomic and molecular beam techniques	
High-resolution absorption, excitation, and microwave—UV double resonance spectroscopy on a molecular beam: S <sub>1</sub> aniline, E.R.Th. Kerstel, M. Becucci, G. Pietraperzia and E.	100 (1005) 270
Castellucci Fano plot of the Paschen line of the excited hydrogen atom $(n = 4)$ produced in $e-H_2$	199 (1995) 263
collisions, N. Yonekura, K. Furuya, K. Nakashima and T. Ogawa	199 (1995) 313
Time-resolved experiments  The A(0+) V(0+) transition of BiBr: redictive lifetimes of the A state E Martínez M.P.	
The A(0 <sup>+</sup> )-X(0 <sup>+</sup> ) transition of BiBr: radiative lifetimes of the A state, E. Martínez, M.R. López, A. Notario and F. Poblete	199 (1995) 305

## Objects

### **Bulk systems**

Gases	
A simulation study of energy transfer in methyl isocyanide-inert gas collisions, L. Ming, T.D. Sewell and S. Nordholm	199 (1995) 83
Temperature dependence of the ultraviolet absorption cross section of CF <sub>3</sub> I, A. Fahr, A.K. Nayak and R.E. Huie	199 (1995) 275
Temperature dependent quenching of CH( $A^2\Delta$ ), NH( $A^3\Pi$ ), NH( $c^1\Pi$ ), and PH( $A^3\Pi$ ) by H <sub>2</sub> , P. Heinrich and F. Stuhl	199 (1995) 297
Supersonic beams	
High-resolution absorption, excitation, and microwave-UV double resonance spectroscopy on a molecular beam: S <sub>1</sub> aniline, E.R.Th. Kerstel, M. Becucci, G. Pietraperzia and E. Castellucci	199 (1995) 263
Liquids neat	
Statistical mechanical simulations on properties of liquid pyridine, K. Sagarik and E. Spohr	199 (1995) 73
Liquid mixtures and solutions  An exactly solvable model of the dipole-dipole relaxation of the electron spins of micellized radical pairs, S.V. Isakov, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev Na <sup>+</sup> in liquid hydroxylamine: pair potential function from ab initio calculations and Monte	199 (1995) 119
Carlo computer simulation of a 0.36 M NaCl solution (2 NaCl/200 NH <sub>2</sub> OH), S. Vizoso and B.M. Rode	199 (1995) 129
The solvent shift in the n → π* excitation of CH <sub>2</sub> O·nH <sub>2</sub> O: An MRD-CI investigation using effective potentials for the representation of the water molecules, I. Frank, S. Grimme, M. von Arnim and S.D. Peyerimhoff  Large quadratic hyperpolarizabilities with donor-acceptor polyenes functionalized with strong donors. Comparison with donor-acceptor diphenylpolyenes, M. Blanchard-Desce, C. Runser, A. Fort, M. Barzoukas, JM. Lehn, V. Bloy and V. Alain	199 (1995) 145 199 (1995) 253
	177 (1770) 200
Crystals  Does the electronegativity scale apply to ionic crystals as to molecules? A theoretical study of the bonding character in molecular and crystalline alkaline-earth oxides based on dipole moments, G. Pacchioni and F. Illas	199 (1995) 155
-mixed	
Proton tunnelling reactions in pentacene doped benzoic acid crystals, P.F. Barbara, C. von Borczyskowski, R. Casalegno, A. Corval, C. Kryschi, Y. Romanowski and H.P. Trommsdorff	199 (1995) 285
Glasses	
Raman spectra and relaxation in amorphous naphthalene, K. Ishii, H. Nakayama, M. Kawahara, K. Koyama, K. Ando and J. Yokoyama	199 (1995) 245

Polymers	
Efficiency of charge recombination in organic light emitting diodes, U. Albrecht and H. Bässler	199 (1995) 207
Thin films	
Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene vinylenes, W. Werncke, M. Pfeiffer, T. Johr, A. Lau and HJ. Jüpner	199 (1995) 65
Efficiency of charge recombination in organic light emitting diodes, U. Albrecht and H. Bässler	199 (1995) 207
Microscopic systems	
Molecules (neutral and ionic)	
An unscaled quantum mechanical harmonic force field for p-benzoquinone, M. Nonella and P. Tavan	199 (1995) 19
A simulation study of energy transfer in methyl isocyanide-inert gas collisions, L. Ming,	,
T.D. Sewell and S. Nordholm	199 (1995) 83
-diatomic	
Does the electronegativity scale apply to ionic crystals as to molecules? A theoretical study	
of the bonding character in molecular and crystalline alkaline-earth oxides based on	
dipole moments, G. Pacchioni and F. Illas	199 (1995) 155
An ab initio investigation of the infrared and visible-UV spectra of BN <sup>+</sup> , and photoioniza-	100 (1005) 160
tion spectrum of BN, R.C. Mawhinney, P.J. Bruna and F. Grein	199 (1995) 163
A hard-sphere model for the reactions of two diatomic molecules with ionic bond, V.M. Azriel, L.Y. Rusin and M.B. Sevryuk	199 (1995) 195
Fano plot of the Paschen line of the excited hydrogen atom $(n = 4)$ produced in $e-H_2$	199 (1993) 193
collisions, N. Yonekura, K. Furuya, K. Nakashima and T. Ogawa	199 (1995) 313
The $A(0^+)-X(0^+)$ transition of BiBr: radiative lifetimes of the A state, E. Martínez, M.R.	,,
López, A. Notario and F. Poblete	199 (1995) 305
-small polyatomics	
An unscaled quantum mechanical harmonic force field for p-benzoquinone, M. Nonella	
and P. Tavan	199 (1995) 19
Theoretical charge-transfer cross-sections for $H^+ + HCl(X^{-1}\Sigma^+) \rightarrow H(^2S_g) + HCL^+$	
(A <sup>2</sup> Σ <sup>+</sup> ) from a diatomics-in-molecules effective Hamiltonian, P.J. Kuntz, I. Paidarová	()
and R. Polák	199 (1995) 53
Ab initio CI calculations of electronic and vibrational spectra of diazomethane, Mp. Habas and A. Dargelos	199 (1995) 177
-aromatics	
Efficiency of charge recombination in organic light emitting diodes, U. Albrecht and H. Bässler	199 (1995) 207
High-resolution absorption, excitation, and microwave-UV double resonance spectroscopy on a molecular beam: S <sub>1</sub> aniline, E.R.Th. Kerstel, M. Becucci, G. Pietraperzia and E.	
Castellucci	199 (1995) 263

and P. Tavan

-other large  Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene	
vinylenes, W. Werncke, M. Pfeiffer, T. Johr, A. Lau and HJ. Jüpner	199 (1995) 65
Large quadratic hyperpolarizabilities with donor-acceptor polyenes functionalized with strong donors. Comparison with donor-acceptor diphenylpolyenes, M. Blanchard-Desce,	
C. Runser, A. Fort, M. Barzoukas, JM. Lehn, V. Bloy and V. Alain	199 (1995) 253
Molecular aggregates	
Statistical mechanical simulations on properties of liquid pyridine, K. Sagarik and E. Spohr	199 (1995) 73
-dimers	
Effects of a quantum heat bath on the dynamics of a nonlinear subsystem: reduced density matrix approach, V. Szőcs, P. Baňacký and P. Reineker	199 (1995) 1
The interatomic potential for the X <sup>1</sup> Σ <sup>+</sup> state of ArNa <sup>+</sup> , NeNa <sup>+</sup> and HeNa <sup>+</sup> , G. Reza	
Ahmadi, J. Almlöf and I. Røeggen Fourier transform infrared study of sulfur dioxide dimer. II. Argon matrix, L. Schriver-	199 (1995) 33
Mazzuoli, A. Schriver and M. Wierzejewska-Hnat	199 (1995) 227
-van der Waals molecules	
Vibrational structure of the Ar-NO <sup>+</sup> van der Waals cation, I. Fourré and M. Raoult	199 (1995) 215
-clusters	
The solvent shift in the $n \to \pi^*$ excitation of $CH_2O \cdot nH_2O$ : An MRD-CI investigation using effective potentials for the representation of the water molecules, I. Frank, S.	
Grimme, M. von Arnim and S.D. Peyerimhoff	199 (1995) 145
Free radicals (including hydronium and muonium)	
Electronic quenching of $CH(A^2\Delta)$ and $NH(A^3\Pi)$ between 300 and 950 K, P. Heinrich and F. Stuhl	199 (1995) 105
An exactly solvable model of the dipole-dipole relaxation of the electron spins of	
micellized radical pairs, S.V. Isakov, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev Temperature dependent quenching of $CH(A^2\Delta)$ , $NH(A^3\Pi)$ , $NH(c^1\Pi)$ , and $PH(A^3\Pi)$ by	199 (1995) 119
$H_2$ , P. Heinrich and F. Stuhl	199 (1995) 297
Quasiparticles (including excitons)	
Effects of a quantum heat bath on the dynamics of a nonlinear subsystem: reduced density matrix approach, V. Szőcs, P. Baňacký and P. Reineker	199 (1995) 1
Phenomena	
Molecular structure	
An unscaled quantum mechanical harmonic force field for p-benzoquinone, M. Nonella	

199 (1995) 19

Ab initio study of the molecular structure and vibrational spectra of dichlorine hexoxide and its significance to stratospheric ozone depletion, S. Parthiban, B.N. Raghunandan	
and R. Sumathi	199 (1995) 183
Fourier transform infrared study of sulfur dioxide dimer. II. Argon matrix, L. Schriver- Mazzuoli, A. Schriver and M. Wierzejewska-Hnat	199 (1995) 227
Vibrations and rotations of molecules	
An unscaled quantum mechanical harmonic force field for p-benzoquinone, M. Nonella	
and P. Tavan	199 (1995) 19
Ab initio CI calculations of electronic and vibrational spectra of diazomethane, Mp.	
Habas and A. Dargelos	199 (1995) 177
Ab initio study of the molecular structure and vibrational spectra of dichlorine hexoxide and its significance to stratospheric ozone depletion, S. Parthiban, B.N. Raghunandan	
and R. Sumathi	199 (1995) 183
Vibrational structure of the Ar-NO <sup>+</sup> van der Waals cation, I. Fourré and M. Raoult High-resolution absorption, excitation, and microwave-UV double resonance spectroscopy	199 (1995) 215
on a molecular beam: S <sub>1</sub> aniline, E.R.Th. Kerstel, M. Becucci, G. Pietraperzia and E.	100 (1005) 5/5
Castellucci	199 (1995) 263
Electronic structure and states	
Theoretical charge-transfer cross-sections for $H^+ + HCl(X^{-1}\Sigma^+) \rightarrow H(^2S_g) + HCL^+$	
(A $^2\Sigma^+$ ) from a diatomics-in-molecules effective Hamiltonian, P.J. Kuntz, I. Paidarová	
and R. Polák	199 (1995) 53
The solvent shift in the $n \to \pi^*$ excitation of $CH_2O \cdot nH_2O$ : An MRD-CI investigation	177 (1775) 55
using effective potentials for the representation of the water molecules, I. Frank, S.	
Grimme, M. von Arnim and S.D. Peyerimhoff	199 (1995) 145
Does the electronegativity scale apply to ionic crystals as to molecules? A theoretical study	************
of the bonding character in molecular and crystalline alkaline-earth oxides based on	
dipole moments, G. Pacchioni and F. Illas	199 (1995) 155
Ab initio CI calculations of electronic and vibrational spectra of diazomethane, Mp.	
Habas and A. Dargelos	199 (1995) 177
The $A(0^+)-X(0^+)$ transition of BiBr: radiative lifetimes of the A state, E. Martínez, M.R.	
López, A. Notario and F. Poblete	199 (1995) 305
Electric and magnetic properties	
Efficiency of charge recombination in organic light emitting diodes, U. Albrecht and H. Bässler	199 (1995) 207
Dassier	199 (1993) 207
Molecular interactions	
The interatomic potential for the $X^{1}\Sigma^{+}$ state of ArNa <sup>+</sup> , NeNa <sup>+</sup> and HeNa <sup>+</sup> , G. Reza	
Ahmadi, J. Almlöf and I. Røeggen	199 (1995) 33
Statistical mechanical simulations on properties of liquid pyridine, K. Sagarik and E. Spohr	199 (1995) 73
Electronic quenching of $CH(A^2\Delta)$ and $NH(A^3\Pi)$ between 300 and 950 K, P. Heinrich and	
F. Stuhl	199 (1995) 105
The solvent shift in the $n \to \pi^*$ excitation of $CH_2O \cdot nH_2O$ : An MRD-CI investigation	
using effective potentials for the representation of the water molecules, I. Frank, S.	
Grimme, M. von Arnim and S.D. Peyerimhoff	199 (1995) 145
Temperature dependent quenching of CH(A <sup>2</sup> $\Delta$ ), NH(A <sup>3</sup> $\Pi$ ), NH(c <sup>1</sup> $\Pi$ ), and PH(A <sup>3</sup> $\Pi$ ) by	100 (1005) 205
H <sub>2</sub> , P. Heinrich and F. Stuhl	199 (1995) 297

Spectral bandshapes and intensities  An ab initio investigation of the infrared and visible-UV spectra of BN <sup>+</sup> , and photoionization spectrum of BN, R.C. Mawhinney, P.J. Bruna and F. Grein  Temperature dependence of the ultraviolet absorption cross section of CF <sub>3</sub> I, A. Fahr, A.K. Nayak and R.E. Huie	199 (1995) 163 199 (1995) 275
Coupling of electronic and nuclear motion Theoretical charge-transfer cross-sections for $H^+ + HCl(X^{-1}\Sigma^+) \rightarrow H(^2S_g) + HCL^+$ (A $^2\Sigma^+$ ) from a diatomics-in-molecules effective Hamiltonian, P.J. Kuntz, I. Paidarová and R. Polák	199 (1995) 53
<ul> <li>Energy transfer processes</li> <li>A simulation study of energy transfer in methyl isocyanide-inert gas collisions, L. Ming, T.D. Sewell and S. Nordholm</li> <li>Electronic quenching of CH(A<sup>2</sup>Δ) and NH(A<sup>3</sup>Π) between 300 and 950 K, P. Heinrich and F. Stuhl</li> </ul>	199 (1995) 83 199 (1995) 105
Molecular photophysical processes  An ab initio investigation of the infrared and visible-UV spectra of BN <sup>+</sup> , and photoionization spectrum of BN, R.C. Mawhinney, P.J. Bruna and F. Grein	199 (1995) 163
Luminescence spectra, yields and lifetimes  The A(0 <sup>+</sup> )-X(0 <sup>+</sup> ) transition of BiBr: radiative lifetimes of the A state, E. Martínez, M.R. López, A. Notario and F. Poblete	199 (1995) 305
Coherence loss processes  Effects of a quantum heat bath on the dynamics of a nonlinear subsystem: reduced density matrix approach, V. Szőcs, P. Baňacký and P. Reineker  An exactly solvable model of the dipole-dipole relaxation of the electron spins of micellized radical pairs, S.V. Isakov, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev	199 (1995) 1 199 (1995) 119
Non-linear responses (including optical)  Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene vinylenes, W. Werncke, M. Pfeiffer, T. Johr, A. Lau and HJ. Jüpner  Large quadratic hyperpolarizabilities with donor-acceptor polyenes functionalized with strong donors. Comparison with donor-acceptor diphenylpolyenes, M. Blanchard-Desce, C. Runser, A. Fort, M. Barzoukas, JM. Lehn, V. Bloy and V. Alain	199 (1995) 65 199 (1995) 253
Reactions (including dissociation)	
<ul> <li>-gas phase</li> <li>A hard-sphere model for the reactions of two diatomic molecules with ionic bond, V.M. Azriel, L.Y. Rusin and M.B. Sevryuk</li> <li>Temperature dependence of the ultraviolet absorption cross section of CF<sub>3</sub>I, A. Fahr, A.K. Nayak and R.E. Huie</li> <li>Fano plot of the Paschen line of the excited hydrogen atom (n = 4) produced in e-H<sub>2</sub> collisions, N. Yonekura, K. Furuya, K. Nakashima and T. Ogawa</li> </ul>	199 (1995) 195 199 (1995) 275 199 (1995) 313

199 (1995) 245

-photochemical	
Proton tunnelling reactions in pentacene doped benzoic acid crystals, P.F. Barbara, C.	
von Borczyskowski, R. Casalegno, A. Corval, C. Kryschi, Y. Romanowski and H.P.	
Trommsdorff	199 (1995) 285
Tunnelling	
Proton tunnelling reactions in pentacene doped benzoic acid crystals, P.F. Barbara, C.	
von Borczyskowski, R. Casalegno, A. Corval, C. Kryschi, Y. Romanowski and H.P.	
Trommsdorff	199 (1995) 285
Ionization (including Rydberg states)	
Vibrational structure of the Ar-NO+ van der Waals cation, I. Fourré and M. Raoult	199 (1995) 215
Molecular motion (including diffusive)	
Statistical mechanical simulations on properties of liquid pyridine, K. Sagarik and E. Spohr	199 (1995) 73
Structure of solids and liquids	
Raman spectra and relaxation in amorphous naphthalene, K. Ishii, H. Nakayama, M.	

Kawahara, K. Koyama, K. Ando and J. Yokoyama

